2000 GMC JIMMY
MIDDLE EAST
MODEL TS10506 – 2 WD – 4 DOOR

OPT CODE	STANDARD EQUIPMENT	
	Armrests, Padded, Left Hand and Right Hand Doors	S
	Auxiliary Floor Mats, Rear	S
	Battery - 525 Cold Cranking Amps	S
	Brakes: Four Wheel Anti-Lock, Power	S
	Cargo Tie Downs (4)	S
	Cigarette Lighter and Ashtray	
	Defogger, Side Windows	S
	Driver/Passenger Air Bags	S
	Front License Plate Bracket	S
	Front Suspension: Independent, Torsion Bar, Monotube Shock Absorbers	S
	Fuel Tank, 17.5 Gallon Capacity	S
	Glass, Tinted, Solar-Ray	S
	Grab Handles, Front and Rear Passenger	S
	Grill: Chrome, with Composite Headlamps	S
	Intermittent Windshield Wipers	S
	Lamp, Engine Compartment	S
	Lamps, Door Operated Dome & Front Floor Courtesy	S
	Rear Hatch Release, Electric	S
	Rear Seat Heating Duct	S
	Rear Suspension: Semi-Floating axle, 2 Stage Multi-leaf Springs, Monotube Shock Absorbers	S
	Brake/Transmission Interlock	S
	Seating, 5 Passenger	S
	Side Guard Door Beams	S
	Spare Tire, Underbody Mounted	S
	Stabilizer Bar, Front and Rear	S
	Tow Hooks, Front (2)	S
	Warning Device, Headlamps-On Buzzer	S
B30	Floor Covering, Carpeted	S
B32	Auxiliary Floor Mats, Front	S
C5C	GVW Rating: 5000 lbs (2268 kgs)	S
C60	Air Conditioning	S
D44	Mirrors: Outside, Rearview, RH/LH, Color (Black)	S
E55	End Gate Body	S
JC1	Brakes: 4 Wheel Disc	S
K60	Generator: 100 AMP	S
N40	Power Steering	S
PH1	Wheels: 15x7, Steel	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER.

2000 GMC JIMMY
MIDDLE EAST
MODEL TS10506 – 2 WD – 4 DOOR

OPT	PACKAGED EQUIPMENT	
	SELECT-A-UNIT CODE	**1R6K**
	PREFERRED EQUIPMENT GROUP CODE	**1SA**
L35	Engine: 4.3L, V6, CPi	X
M30	Transmission: 4 Speed Automatic with Overdrive. **Includes** (D07) Custom Console	X
GU6	Axle Ratio: 3.42:1	X
AV5	Seats: Front, Reclining, High Back Buckets	X
C25	Wiper System: Rear Window, Intermittent	X
C49	Rear Window Defogger, Electric	X
DD0	Mirrors: Outside, Rearview, LH/RH, Remote, Electric, Heated, Light Sensitive (Drivers Side Only), Color (Black). **Includes** (DD8) Inside Rearview Mirror, Light Sensitive	X
DH6	Mirror, Inside, Front, Vanity, LH/RH Sunshade, Illuminated	X
DK7	Overhead Console: **Includes** Compass and Outside Temperature	X
K53	Fuel Sender Assembly: Low Lubricity	X
QCE	Tires: P205/75R15/N BW, ALS	U
T62	Daytime Running Lights - Delete	X
UA1	Battery: Heavy Duty	X
UL0	Radio: AM/FM Stereo, Cassette, Equalizer, Clock	X
UL2	European Radio Frequency	X
V54	Roof Luggage Carrier	X
YC3	Mid-Level Trim: Includes (AM7) Rear Folding Seat, (NP5) Leather Wrapped Steering Wheel, (N60) Painted Aluminum Wheel	X
ZQ1	Chassis Package, Smooth Ride	U
ZQ3	Convenience Package II: Includes (K34) Cruise Control, (N33) Tilt Steering Wheel.	X
ZQ6	Convenience Package III: Includes (AU3) Electric Door Locks, (A31) Power Windows, (DD0) Outside, Rearview Mirrors	X
	REQUIRED REGULATORY AND PROCESSING CONTENT	
A26	Glass: European Glazing	X
EXP	Processing Option: GMODC, Export	X
NF2	Emission: Federal	X
NM8	Leaded Fuel Provisions	X
R6K	Processing Option: Middle East	X
U16	Tachometer	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X
UD4	Overspeed Warning Device	X
V87	Vehicle Certification Label: Arabic	X
VC5	Shipping Label	X
VPH	Export Preparation: Includes (BAG) Loose Parts Package, (VR6) Tie Down Hook	X
Z5X	Arabic Label Mirrors	X
	AVAILABLE OPTIONAL EQUIPMENT	
QBF	Tires: 235/70R15 BW. **Requires** Z85	A
Z85	Chassis Package: Increased Capacity. **Requires** QBF	A

X = Included In Select-A-Unit. Do Not Delete **-- = Not Available**
U = Upgradeable Option May Be Deleted If Substitute Option is Specified

2000 GMC JIMMY
MIDDLE EAST
MODEL TS10506 – 2 WD – 4 DOOR

ZY1 PAINT APPLICATION

YC3 Exterior Appearance Package

	Seat Ordering Information			Interior Trim		
Exterior Appearance Package	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC3	High Back Buckets	Premium Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Pewter (Met)	11U	X	X	X
Indigo Blue (Met)	39U	X	X	X
Black Onyx	41U	X	X	X
Medium Red (Met)	44U	X	X	X
Summit White	50U	X	X	X
R				
Meadow Green (Met)	68U	X	X	X
Fire Red	74U	X	X	X
Tint Red	86U	X	X	X
Cherry Red (Met)	94U	X	X	X

2000 GMC JIMMY
MIDDLE EAST
MODEL TS10516 – 2 WD – 2 DOOR UTILITY

OPT CODE	STANDARD EQUIPMENT	
	Armrests, Padded, Left Hand and Right Hand Doors	S
	Battery - 525 Cold Cranking Amps	S
	Brakes, Power, 4 Wheel ABS	S
	Cargo Tie Downs (4)	S
	Cigarette Lighter and Ashtray with Light	S
	Deluxe Heater with Side Window Defogger	S
	Door Operated Dome and Front Floor Courtesy Lamps	S
	Driver/Passenger Air Bags	S
	Engine Compartment Lamp	S
	Front and Rear Passenger Grab Handles	S
	Front License Plate Bracket	S
	Front Suspension: Coil Springs	S
	Fuel Tank - 17.5 Gallon Capacity	S
	Headlights-On Warning Buzzer	S
	Rear Seat Heating Duct	S
	Rear Suspension: Semi-floating Axle, 2 Leaf Springs	S
	Side Guard Door Beams	S
	Stabilizer Bar - Front/Rear	S
	Tow Hooks, Front (2)	S
	Transfer Case - Manual Shift	S
	Windshield Wipers, Intermittent	S
B30	Carpeted Floor Covering	S
B32	Auxiliary Floor Mats, Front	S
B33	Auxiliary Floor Mats, Rear	S
C3G	GVW Rating: 4450 lbs (2019 kgs)	S
C60	Air Conditioning with R134A Refrigerant	S
D44	Left Hand and Right Hand Below Eyeline Mirrors, Color (Black)	S
E55	End Gate Body	S
K60	Generator: 100 AMP	S
N40	Power Steering	S
PH1	Wheels: 15x7, Steel	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER.

2000 GMC JIMMY
MIDDLE EAST
MODEL TS10516 – 2 WD – 2 DOOR UTILITY

OPT	PACKAGED EQUIPMENT	
	SELECT-A-UNIT CODE	**1R6K**
	PREFERRED EQUIPMENT GROUP CODE	**1SA**
L35	Engine: 4.3L, V6, CPi, Gas	**X**
M50	Transmission: 5 Speed Manual. **Requires** QBF Tires and Z85 Chassis Package	**U**
GU6	Axle Ratio: 3.42:1	**X**
AG1	Seat Adjuster: Driver, 6 Way, Power	**X**
AV5	Seats: Front, High Back Bucket, Reclining	**X**
C25	Rear Wiper/Washer	**X**
C49	Rear Window Defogger. Electric	**X**
D55	Floor Console	**X**
DD0	Mirrors: Outside, Rearview, LH/RH, Remote, Electric, Heated, Light Sensitive (Drivers Side Only) Color (Black). **Includes** (DD8) Inside Rearview Mirror, Light Sensitive	**X**
DH6	Mirror, Inside, Front, Vanity, LH/RH, Sunshade, Illuminated	**X**
DK7	Roof Console: Interior, Custom, **Includes** Compass and Outside Temperature	**X**
K53	Fuel Sender Assembly: Low Lubricity	**X**
QBF	Tires: P205/70R15 Blackwall, ALS. **Requires** M50 Transmission and Z85 Chassis Pkg.	**U**
UA1	Battery: Heavy Duty	**X**
UL0	Radio: AM/FM Stereo, Seek/Scan, Auto Reverse	**X**
UL2	Radio Frequency: European	**X**
YC3	Mid-Level Trim: Includes (AM7) Rear Folding Seat, (NP5) Leather Wrapped Steering Wheel, (N60) Painted Aluminum Wheel	**X**
Z85	Chassis Package; Increased Capacity. **Requires** M50 Transmission and QBF Tires	**U**
ZM8	Combination Package: Includes Tailgate Release/Rear Defogger	**X**
ZQ3	Convenience Package II: Includes (N33) Tilt Steering Wheel (K34) Electronic Speed Control	**X**
ZQ6	Convenience Package III: Includes (A31)Power Windows. (AU3)Door Locks, (DD0)Electric Outside Rearview Mirrors	**X**

X = Included in Select-A-Unit. Do Not Delete
U = Upgradeable Option May Be Deleted If Substitute Option is Specified **-- = Not Available**

2000 GMC JIMMY
MIDDLE EAST
MODEL TS10516 – 2 WD – 2 DOOR UTILITY

OPT	REQUIRED REGULATORY & PROCESSING CONTENT	
	SELECT-A-UNIT CODE	**1R6K**
	PREFERRED EQUIPMENT GROUP CODE	**1SA**
A26	Glass: European Glazing	**X**
EXP	Processing Option: GMODC, Export	**X**
NF2	Federal Emissions	**X**
NM8	Leaded Fuel Provisions	**X**
R6K	Processing Option	**X**
T62	Daytime Running Lights, Delete	**X**
U16	Tachometer	**X**
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	**X**
UD4	Overspeed Warning Device	**X**
V87	Vehicle Certification Label	**X**
VC5	Shipping Label	**X**
VPH	Export Preparation: Includes – (BAG) Loose Parts Box, (VR6) Tie Down Hook	**X**
Z5X	Arabic Mirrors	**X**

AVAILABLE OPTIONAL EQUIPMENT		
M30	Transmission: 4 Speed Automatic with Overdrive. **Requires** QCE tires and Z83 Chassis Pkg.	**A**
QCE	Tires: P205/75R15/N Blackletter. **Requires** Z83 Chassis Pkg. and M30 Transmission	**A**
Z83	Chassis Package: Solid Smooth Ride. **Requires** QCE tires and M30 Transmission	**A**

X = Included Do Not Delete **-- = Not Available** **A = Available**

2000 GMC JIMMY
MIDDLE EAST
MODEL TS10516 – 2 WD – 2 DOOR UTILITY

ZY1 PAINT APPLICATION

YC3 Model Option

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC3	High Back Buckets	Custom Cloth	AV5	12H	64H	92H

	Exterior Paint Colour	Code	Available Combinations		
R	Pewter (Met)	11U	X	X	X
	Indigo Blue (Met)	39U	X	X	X
	Black Onyx	41U	X	X	X
	Summit White	50U	X	X	X
R					
R					
	Meadow Green (Met)	68U	X	X	X
	Fire Red	74U	X	X	X
	Cherry Red (Met)	94U	X	X	X

2000 GMC JIMMY
MIDDLE EAST
MODEL TT10506 – 4 WD – 4 DOOR

OPT CODE	STANDARD EQUIPMENT	
	Armrests, Padded, Left Hand and Right Hand Doors	S
	Auxiliary Floor Mats, Rear	S
	Battery - 525 Cold Cranking Amps	S
	Brakes: Four Wheel Anti-Lock, Power	S
	Cargo Tie Downs (4)	S
	Cigarette Lighter and Ashtray	S
	Defogger, Side Windows	S
	Driver/Passenger Air Bags	S
	Front License Plate Bracket	S
	Front Suspension: Independent, Torsion Bar, Monotube Shock Absorbers	S
	Fuel Tank, 17.5 Gallon Capacity	S
	Glass, Tinted, Solar-Ray	S
	Grab Handles, Front and Rear Passenger	S
	Grill: Chrome, with Composite Headlamps	S
	Intermittent Windshield Wipers	S
	Lamp, Engine Compartment	S
	Lamps, Door Operated Dome & Front Floor Courtesy	S
	Rear Hatch Release, Electric	S
	Rear Seat Heating Duct	S
	Rear Suspension: Semi-Floating axle, 2 Stage Multi-leaf Springs, Monotube Shock Absorbers	S
	Brake/Transmission Interlock	S
	Seating, 5 Passenger	S
	Side Guard Door Beams	S
	Spare Tire, Underbody Mounted	S
	Stabilizer Bar, Front and Rear	S
	Tow Hooks, Front (2)	S
	Warning Device, Headlamps-On Buzzer	S
AM7	Rear Seat, Folding	S
B30	Floor Covering, Carpeted	S
B32	Auxiliary Floor Mats, Front	S
C3T	GVW Rating: 5350 lbs (2427 kgs)	S
C60	Air Conditioning	S
D44	Mirrors: Outside, Rearview, RH/LH, Color (Black)	S
E55	End Gate Body	S
JC1	Brakes: 4 Wheel Disc	S
K60	Generator: 100 AMP	S
N40	Power Steering	S
PH1	Wheels: 15x7, Steel	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER.

2000 GMC JIMMY
MIDDLE EAST
MODEL TT10506 – 4 WD – 4 DOOR

OPT	PACKAGED EQUIPMENT				
	SELECT-A-UNIT CODE	1R6K	2R6K	3R6K	4R6K
	PREFERRED EQUIPMENT GROUP CODE	1SA	1SB	1SC	1SD
L35	Engine: 4.3L, V6, CPi	X	X	X	X
M50	Transmission: 5 Speed Manual. **Includes** (D55) Console, (G80) Limited Slip Differential	U	U	U	--
M30	Transmission: 4 Speed Automatic with Overdrive. **Includes** (D07) Custom Console	--	--	--	X
GU6	Axle Ratio: 3.42:1	X	X	X	X
AV5	Seats: Front, Reclining, High Back Buckets	X	--	--	--
AN3	Seats, Front Bucket, Driver/Passenger, Electric Body Support, with Driver only 8 way Power Seat Adjuster **Requires** Cloth Trim with YC5 (1SB). **Requires** Leather Trim with YC6 (1SC)	--	X	X	--
AN3	Seats, Front Bucket, Driver/Passenger Electric Body Support, Heated. Includes Driver/ Passenger 8 way Power Seat Adjuster with Driver 2-Position Memory **Requires** Leather Trim	--	--	--	X
AU0	Lock Control: Remote Entry	--	--	--	X
C25	Wiper System: Rear Window, Intermittent	X	X	X	X
C49	Rear Window Defogger, Electric	X	--	--	--
D34	Mirror: Inside Front, Sunshade	X	--	--	--
DH6	Mirror, Inside, Front, Vanity, LH/RH Sunshade, Illuminated	--	X	X	X
DK7	Overhead Console: **Includes** Compass and Outside Temperature	--	X	X	--
DK8	Deluxe Interior Overhead Console: **Includes** Compass, Outside Temperature, Trip Computer, Universal Garage Door Opener	--	--	--	X
D44	Mirrors; Outside, Rearview, LH/RH	X	--	--	--
DD0	Mirrors: Outside, Rearview, LH/RH, Remote, Electric, Heated, Light Sensitive (Drivers Side Only), Color (Black) **Includes** (DD8) Inside Rearview Mirror, Light Sensitive	--	X	X	--
DR4	Mirrors: Outside, Rearview , LH/RH, Remote Control, Electric, Heated, Light Sensitive, Power Folding, Color (Black) **Includes** (DD8) Inside R/V mirror	--	--	--	X
G67	Automatic Level Control: Air	--	--	--	X
K53	Fuel Sender Assembly: Robust Fuel System	X	X	X	X
NP8	Active Transfer Case: Electronic Shift	X	X	X	X
QLN	Tires: P235/70R15-103H BW	X	X	X	X
TB4	Lift Gate: Rear	--	--	--	X
R T62	Daytime Running Lights - Delete	X	X	X	X
UA1	Battery: Heavy Duty	X	X	X	X
UL2	European Radio Frequency.	X	X	X	X
UL0	Radio: AM/FM Stereo, Cassette, Equalizer, Clock.	X	X	X	X
V54	Roof Luggage Carrier	X	X	X	X
ZE5	Base Level Trim	X	--	--	--
YC5	Mid-Level Trim: **Includes** (AP9) Convenience Net, (B84) Body Side Molding, (NP5) Leather Wrapped Steering Wheel, (N90) Aluminum Cast Wheel, (RYJ) Retractable Cargo Area Net	--	X	--	--
YC6	Up-Level Trim: **Includes** YC5 content and AN3	--	--	X	--
YC7	"Envoy" Decor Package: **Includes** YC6 content less N90, (KA1) Heated Seat. (PF2) Aluminum Wheels, (TT6) High Intensity Headlamps, (T37) Fog Lamps, (UK6) Radio Controls: Rear Seat with Earphone Jacks, (UQ3) Enhanced Speaker System, (WXS) Wiring: Provisions, Communications System **Requires** Leather Trim 642/922	--	--	--	X

X = Included in Select-A-Unit. Do Not Delete **-- = Not Available**
U = Upgradeable Option May Be Deleted If Substitute Option is Specified

2000 GMC JIMMY
MIDDLE EAST
MODEL TT10506 – 4 WD – 4 DOOR

OPT	PACKAGED EQUIPMENT (CONTINUED)				
	SELECT-A-UNIT CODE	1R6K	2R6K	3R6K	4R6K
	PREFERRED EQUIPMENT GROUP CODE	1SA	1SB	1SC	1SD
ZQ3	Convenience Package II: Includes (N33) Tilt Steering Wheel (K34) Electronic Speed Control	X	X	X	X
ZQ6	Convenience Package III Includes (A31) Power Windows. (AU3) Door Locks, (DD0) Electric Outside Rearview Mirrors	--	X	X	X
ZM5	Under Hood Shield	--	X	X	X
ZM8	Combination Package: Includes Tailgate Release/Rear Defogger	X	X	X	X
ZW7	Chassis Package: Premium Smooth Ride	--	--	--	X
ZY1	Paint Scheme: Monotone	X	X	X	X
Z82	Trailering Package: Heavy Duty	--	--	--	X
Z85	Chassis Package: Increased Capacity	X	X	X	-
OPT	**REQUIRED REGULATORY & PROCESSING CONTENT**				
EXP	Processing Option: GMODC, Export	X	X	X	X
A26	Glass: European Glazing	X	X	X	X
NF2	Emissions: Federal	X	X	X	X
NM8	Leaded Fuel Provisions	X	X	X	X
R6K	Processing Option	X	X	X	X
UD4	Overspeed Warning Device	X	X	X	X
U16	Tachometer	X	X	X	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X	X	X	X
VC5	Shipping Label	X	X	X	X
VPH	Export Preparation: **Includes** (BAG) Loose Parts Boxing, (VR6) Tie Down Hook	X	X	X	X
V87	Vehicle Certification Label	X	X	X	X
Z5X	Arabic Label Mirrors	X	X	X	X

	AVAILABLE OPTIONAL EQUIPMENT				
AG0	Seat Adjuster: Front, Driver, 8 way Power with 2 Position memory. Includes (AH8) Passenger 8 way Power Seat Adjuster	--	--	A	--
AH8	Seat Adjuster: Front, Passenger, 8 way Power	--	A	--	--
AU0	Remote Keyless Entry	--	A	A	--
CF5	Sun Roof: Glass, Electric, Sliding. Includes (DH6) Sunshades	--	A	A	A
C68	Air Conditioner, Front, Automatic, Electronic Controls	--	--	A	A
G80	Limited Slip Differential: 'Positraction'. **Included** with M50. **Available** with M30	A	A	A	A
M30	Transmission: 4 Speed Automatic with Overdrive. **Includes** (D07) Custom Console	A	A	A	--
N90	Wheel: 15x7, Aluminum Cast	A	--	--	--
TB4	Liftgate – Lift-Glass	--	A	A	--
UK3	Steering Wheel Accessory Controls	--	--	--	A
Z82	Trailering Package	--	A	A	--

X = Included in Select-A-Unit Do Not Delete **-- = Not Available** **A = Available**

2000 GMC JIMMY
MIDDLE EAST
MODEL TT10506 – 4 WD – 4 DOOR

ZY1 PAINT APPLICATION

ZE5 Model Option

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
ZE5	High Back Buckets	Custom Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Pewter (Met)	11U	X	---	X
Indigo Blue (Met)	39U	X	---	X
Black Onyx	41U	X	---	X
Summit White	50U	X	---	---
R				
Meadow Green (Met)	68U	X	---	X
Fire Red	74U	X	---	---
Tint Red	86U	X	---	---
Cherry Red (Met)	94U	X	---	X

YC5 Exterior Appearance Package

	Seat Ordering Information			Interior Trim		
Exterior Appearance Package	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC5	Bucket Seats	Premium Cloth	AN3	12H	64H	92H

	Exterior Paint Colour	Code	Available Combinations		
	Pewter (Met)	11U	X	X	X
	Indigo Blue (Met)	39U	X	X	X
	Black Onyx	41U	X	X	X
	Summit White	50U	X	X	X
R					
	Meadow Green (Met)	68U	X	X	X
	Fire Red	74U	X	X	X
	Tint Red	86U	X	X	X
R	Cherry Red (Met)	# 94U	X	X	X

R # **Not Available with M30**

2000 GMC JIMMY
MIDDLE EAST
MODEL TT10506 – 4 WD – 4 DOOR

ZY1 PAINT APPLICATION

YC6 Model Option

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC6	Bucket Seats	Custom Leather	AN3	122	642	922

	Exterior Paint Colour	Code	Available Combinations		
	Pewter (Met)	11U	X	X	X
	Indigo Blue (Met)	39U	X	X	X
	Black Onyx	41U	X	X	X
	Summit White	50U	X	X	X
R					
	Meadow Green (Met)	68U	X	X	X
	Fire Red	74U	X	X	X
	Tint Red	86U	X	X	X
R	Cherry Red (Met)	# 94U	X	X	X

R **# Not Available with M30**

ZY1 PAINT APPLICATION

YC7 Model Option

	Seat Ordering Information			Interior Trim	
Model Option	Type	Seat Material	Option Code	Beige	Pewter
YC7	Bucket Seats	Custom Leather	AN3	642	922

	Exterior Paint Colour	Code	Available Combinations	
	Pewter (Met)	11U	X	X
	Indigo Blue (Met)	39U	X	X
	Black Onyx	41U	X	X
	Medium Red	44U	X	X
	Summit White	50U	X	X
R				

2000 GMC JIMMY
MIDDLE EAST
MODEL TT10516 – 4 WD – 2 DOOR UTILITY

OPT CODE	STANDARD EQUIPMENT	
	Armrests, Padded, Left Hand and Right Hand Doors	S
	Battery - 525 Cold Cranking Amps	S
	Brakes, Power, 4 Wheel ABS	S
	Cargo Tie Downs (4)	S
	Cigarette Lighter and Ashtray with Light	S
	Deluxe Heater with Side Window Defogger	S
	Door Operated Dome and Front Floor Courtesy Lamps	S
	Driver/Passenger Air Bags	S
	Engine Compartment Lamp	S
	Front and Rear Passenger Grab Handles	S
	Front License Plate Bracket	S
	Front Suspension: Coil Springs	S
	Fuel Tank - 17.5 Gallon Capacity	S
	Headlights-On Warning Buzzer	S
	Rear Seat Heating Duct	S
	Rear Suspension: Semi-floating Axle, 2 Leaf Springs	S
	Side Guard Door Beams	S
	Stabilizer Bar - Front/Rear	S
	Tow Hooks, Front (2)	S
	Transfer Case - Manual Shift	S
	Windshield Wipers, Intermittent	S
AM7	Seat; Rear, Folding	S
B30	Carpeted Floor Covering	S
B32	Auxiliary Floor Mats, Front	S
B33	Auxiliary Floor Mats, Rear	S
C6i	GVW Rating: 4850 lbs (2200 kgs)	S
C60	Air Conditioning with R134A Refrigerant	S
D44	Left Hand and Right Hand Below Eyeline Mirrors, Color (Black)	S
E55	End Gate Body	S
K60	Generator: 100 AMP	S
N40	Power Steering	S
PH1	Wheels: 15x7, Steel	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER.

2000 GMC JIMMY
MIDDLE EAST
MODEL TT10516 – 4 WD – 2 DOOR UTILITY

OPT	PACKAGED EQUIPMENT		
	SELECT-A-UNIT CODE	1R6K	2R6K
	PREFERRED EQUIPMENT GROUP CODE	1SA	1SB
L35	Engine: 4.3L, V6, CPi, Gas	X	X
M50	Transmission: 5 Speed Manual. **Includes** G80 Positraction	U	U
GU6	Axle Ratio: 3.42:1	X	X
AG1	Seat Adjuster: Driver, 6 Way, Power	--	X
AM7	Rear Folding Bench Seat	X	X
AP9	Convenience Net	--	X
AV5	Seats: Front, High Back Bucket, Reclining	X	X
C25	Rear Wiper/Washer	--	X
C60	Air Conditioning: Front	X	X
C6i	GVW Rating: 4850 lbs (2200 kgs)	X	X
D44	Mirrors; Outside, Rearview, LH/RH, Color (Black)	X	--
D55	Floor Console	X	X
DD0	Mirrors: Outside, Rearview, LH/RH, Remote, Electric, Heated, Light Sensitive (Drivers Side Only) Color (Black) **Includes** (DD8) Inside Rearview Mirror, Light Sensitive	--	X
DH6	Mirror, Inside, Front, Vanity, LH/RH, Sunshade, Illuminated	--	X
DK7	Roof Console: Interior, Custom, **Includes** Compass and Outside Temperature	--	U
K53	Fuel Sender Assembly: Robust Fuel System	X	X
NP5	Steering Wheel: Leather Wrapped	--	X
QEB	Tires: P235/75R15 WOL OOR	X	X
UA1	Battery: Heavy Duty	X	X
UL0	Radio: AM/FM Stereo, Seek/Scan, Auto Reverse	X	X
UL2	Radio Frequency: European	X	X
V54	Luggage Carrier: Roof	--	X
YC3	Mid Level Trim	--	X
ZE5	Base Trim	X	--
ZM6	On-Off Road Suspension Package	X	X
ZM8	Combination Package: Includes Tailgate Release/Rear Defogger	--	X
ZQ3	Convenience Package II: Includes (N33) Tilt Steering Wheel (K34) Electronic Speed Control	--	X
ZQ6	Convenience Package III Includes (A31)Power Windows. (AU3)Door Locks, (DD0)Electric Outside Rearview Mirrors	--	X

X = Included in Select-A-Unit. Do Not Delete
U = Upgradeable Option May Be Deleted If Substitute Option is Specified **-- = Not Available**

2000 GMC JIMMY
MIDDLE EAST
MODEL TT10516 – 4 WD – 2 DOOR UTILITY

OPT	REQUIRED REGULATORY & PROCESSING CONTENT		
	SELECT-A-UNIT CODE	1R6K	2R6K
	PREFERRED EQUIPMENT GROUP CODE	1SA	1SB
EXP	Processing Option: GMODC, Export	X	X
A26	Glass: European Glazing	X	X
NF2	Federal Emissions	X	X
NM8	Leaded Fuel Provisions	X	X
R6K	Processing Option	X	X
T62	Daytime Running Lights, Delete	X	X
UD4	Overspeed Warning Device	X	X
U16	Tachometer	X	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X	X
VC5	Shipping Label	X	X
VPH	Export Preparation: Includes – (BAG) Loose Parts Box, (VR6) Tie Down Hook	X	X
V87	Vehicle Certification Label	X	X
Z5X	Arabic Mirrors	X	X

AVAILABLE OPTIONAL EQUIPMENT			
AU0	Remote Keyless Entry	--	A
CF5	Sun Roof; Glass, Sliding, Electric **Requires** DH6	--	A
DK8	Roof Console: Interior, Deluxe. **Includes** Compass, Outside Temperature, Trip Computer, Universal Garage Door Opener	--	A
G80	Limited Slip Differential: 'Positraction'. **Included** with M50. **Available** with M30	A	A
M30	Transmission: 4 Speed Automatic with Overdrive	A	A
ZM5	Underbody Shield Package	A	A
ZQ3	Convenience Package II: Includes (N33) Tilt Steering Wheel (K34) Electronic Speed Control	A	--

X = Included Do Not Delete **-- = Not Available** **A = Available**

2000 GMC JIMMY
MIDDLE EAST
MODEL TT10516 – 4 WD – 2 DOOR UTILITY

ZY1 PAINT APPLICATION

ZE5 Model Option

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
ZE5	High Back Buckets	Custom Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Pewter (Met)	11U	X	X	X
Indigo Blue (Met)	39U	X	X	X
Black Onyx	41U	X	X	X
Summit White	50U	X	X	X
R				
Meadow Green (Met)	68U	X	X	X
Fire Red	74U	X	X	X
Cherry Red (Met)	94U	X	X	X

YC3 Model Option

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC3	High Back Buckets	Custom Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Pewter (Met)	11U	X	X	X
Indigo Blue (Met)	39U	X	X	X
Black Onyx	41U	X	X	X
Summit White	50U	X	X	X
R				
Meadow Green (Met)	68U	X	X	X
Fire Red	74U	X	X	X
Cherry Red (Met)	94U	X	X	X

DATE: February 14, 2000
REVISION NO: 00-3

GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

2000

UPDATE

GMC

JIMMY

TRUCK TECHNICAL PAGES

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

MODEL SELECTION SUMMARY

SERIES	MODEL NUMBER/ BODY CODE	PASSENGER CAPACITY (STD/OPT)	STANDARD ENGINE/ TRANS	OPTIONAL ENGINE/ TRANS	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	MAXIMUM PAYLOAD KG (LB)	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LB)
TWO-WHEEL-DRIVE MODELS								
2-DOOR	S10516/E55/ Z85/QBF/QBG	4/2	4300 V6/A4	4300 V6/M5	2019 (4450)	907/1179 (2200/2600)	334 (736)	2676/* (5900)
4-DOOR	S10506/TB4/ ZW7/QBF/QBG or Z85/QBF/QBG	6/5	4300 V6/A4	—	2268 (5000)	1134/1225[1] (2500/2700)	482 (1063)	2676/* (5900)
FOUR-WHEEL-DRIVE MODELS								
2-DOOR	T10516/E55/ Z85/QBF/QBG/ QEB or ZM6/QEB or ZR2/QJJ	4/2	4300 V6/A4	4300 V6/M5	2200 (4850)	1134/1225 (2500/2700)	380 (838)	2540/* (5600)
4-DOOR	T10506/TB4/ ZW7/QBF/ QBG or Z85/QBF/ QBG/QEB	6/5	4300 V6/A4	—	2427 (5350)	1270/1225[2] (2800/2700)	504 (1111)	2540/* (5600)

[1] Rear GAWR on Z85 models is 1270 kg (2800 lb).
[2] Rear GAWR on Z85 Models is 1315 kg (2900 lb).
N/A–Not available at time of publication.
*Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 750 lbs).

POWERTRAIN

ENGINE	
	VORTEC 4300 V6
Order Code	L35
SAE Net Kilowatts @ rpm (Horsepower @ rpm)	142 @ 4400 (190 @ 4400)
SAE Net Torque N-m @ rpm (lb-ft @ rpm)	339 @ 2800 (250 @ 2800)
Fuel System	SFI
Clutch Size mm (in.)	—
Standard Delco Freedom Battery (12-volt Negative ground) Cold Cranking Amps @ -17.8° C (0° F)	690
Standard Delcotron Alternator Maximum Capacity Amps	100

TRANSMISSIONS		
	MANUAL 5-SPEED W/OVERDRIVE	ELECTRONIC AUTOMATIC 4-SPEED W/OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E)
Transmission Order Code	M50	M30 (Standard)
Synchronized Speeds	1, 2, 3, 4, 5	—
Gear Ratios		
First	3.49	3.06
Second	2.16	1.63
Third	1.40	1.00
Fourth	1.00	0.70
Fifth	0.78	—
Reverse	3.55	2.29
Shaft Centre Distance mm (in.)	85	—
Availability	2-Door Models	All Models

POWERTRAIN (CONT'D)

AXLES

	REAR					FRONT		
Availability	4x2 Models		4x4 Models			All 4x4 Models		
Make	GM		GM			GM		
Capacity kg (lb)	1315 (2900)		1315 (2900)			T10516-1179 (2600) T10506-1225 (2700)		
Pinion and Ring Gear Type	Hypoid		Hypoid			Hypoid		
Axle Ratio Code	GU4 (Std. Equip.)	GU6[1]	GU4 (Std. Equip.)	GU6[1]	GT4[2]	GU4	GU6	GT4
Ratio	3.08	3.42	3.08	3.42	3.73	3.08	3.42	3.73
Pinion Teeth	13	12	13	12	11	13	12	11
Ring Gear Teeth	40	41	40	41	41	40	41	41
Ring Gear Diameter mm (in.)	194 (7.62)	194 (7.62)[3]	194 (7.62)	194 (7.62)[3]	194 (7.62)	184 (7.25)	184 (7.25)	184 (7.25)

[1] GU6 axle with M50 transmission requires locking differential (G80).
[2] Requires locking differential (G80).
[3] L35 with M50 transmission uses a 216mm (8.5-inch) ring gear.

BRAKES

Type	Power; Vacuum; Self-adjusting 4-Wheel Anti-Lock
Application	All Models
Front Rotor Size mm (in.)	Disc 275 x 36.6 (10.82 x 1.44)
Rear Size mm (in.)	Disc 295 x 47.5 (11.6 x 1.87)
Booster Type	Dual Diaphram-Vacuum
Parking Brake Type Operation	 Drum-in-Hat Pedal

TIRES

KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		ORDERING CODE	
		TIRES W/COMPACT SPARE	TIRES W/FULL-SIZE SPARE
P235/70R15	AS/SBR/BW	QBF (Std. Equip.)	QBF & ZBF[1,2]
P235/70R15	AS/SBR/WOL	QBG	QBG & ZBG[1,2]
P235/75R15	ON-OFF/SBR/WOL	QEB	QEB & ZEB[3]

[1] Requires P16 for full-size spare tire on T10516.
[2] Full-size spare tire not available on S10516.
[3] Full-size spare tire is optional on T10506 and included on T10516.

STANDARD CHASSIS FEATURES

ENGINE BLOCK HEATER	
EXHAUST SYSTEM	
Type	Aluminized stainless steel
FRAME	
Type	All-welded ladder-type extended with boxed rails
Material	Carbon steel
Yield Strength	36,000 PSI
FUEL TANK	
Location	
S/T10516	Mounted between frame rails behind the rear axle (includes shield)
S/T10506	Mounted between frame rails left-hand side ahead of rear axle (includes shield)
Fill Provisions	Door type, left-hand fill.
Capacity	
S/T10516	72 litres (15.8 imperial gal)
S/T10506	68 litres (15.0 imperial gal)
GVWR	
C3G	
S10516	2019 kg (4450 lb)
C6I	
S10506	2200 kg (4850 lb)
C6B	
T10516	2268 kg (5000 lb)
C3H	
T10506	2426 kg (5350 lb)
STEERING	
Type	Integral power, variable ratio

SUSPENSION, FRONT	Independent
Capacity	
S10516	998 kg (2200 lb)
S10506	1134 kg (2500 lb)
T10516	1134 kg (2500 lb)
T10506	1270 kg (2800 lb)
2WD springs	Coil
Capacity	
S10516	499 kg (1100 lb) each
S10506	567 kg (1250 lb) each
4WD springs	Torsion Bars
Capacity	
T10516	567 kg (1250 lb) each
T10506	635 kg (1400 lb) each
Shock absorbers	
ZW7/Z85/ZM6	46mm(1.81") piston diameter
Stabilizer bar	Drop link design 33mm (1.3") diameter
SUSPENSION, REAR	
Springs	Two-stage multileaf
S10516/T10516	585 kg (1300 lb) each
T10516 w/ Z85/ZM6	612 kg (1350 lb) each
S10506/T10506	612 kg (1350 lb) each
S10506 w/Z85	635 kg (1400 lb) each
Shock absorbers	
ZW7/Z85/ZM6	46mm (1.81") piston diameter
Stabilizer bar	Drop link design
2WD wZ85/ZM7	23mm (0.91") diameter
4WD w/ZW7/ZM6	23mm (0.91") diameter
4WD w/Z85	26mm (1.02") diameter
TRANSFER CASE	
Type/Model	Part-time/New Process 233
Availability	T10516/T10506 w/YC6
Controls	Dash-Mounted Electronic Shift
WHEELS	
Type	Four disc
Size	381mm x 178mm (15" x 7")
Attachment	5 bolts on 120.6mm (4.75") circle

DIMENSIONS

MODEL	2-WHEEL DRIVE		4-WHEEL DRIVE	
MODEL NUMBER	S10516/E55	S10506/TB4	T10516/E55	T10506/TB4
EXTERIOR DIMENSIONS				
BODY				
Wheelbase mm (in.)	2553 (100.5)	2718 (107.0)	2553 (100.5)	2718 (107.0)
Overall Length mm (in.)	4491 (176.8)	4656 (183.3)	4491 (176.8)	4656 (183.3)
Overall Height mm (in.)	1648 (64.9)	1646 (64.3)	1638 (64.5)	1646 (64.2)
Maximum Width mm (in.)	1722 (67.8)	1722 (67.8)	1722 (67.8)	1722 (67.8)
Bumper-to-Axle mm (in.)				
Front	879 (34.6)	879 (34.6)	879 (34.6)	879 (34.6)
Rear	1057 (41.7)	1057 (41.7)	1057 (41.7)	1059 (41.7)
Ground to Top of Rear Load Floor mm (in.)	759 (29.9)	757 (29.8)	749 (29.5)	747 (29.4)
Ground Clearance mm (in.)				
Front	216 (8.4)	216 (8.4)	211 (8.3)	211 (8.3)
Rear	206 (8.1)	193 (7.6)	203 (8.0)	191 (7.5)
Turning Diameter				
Curb-to-Curb m (ft)	10.6 (34.8)	11.2 (36.6)	10.7 (35.2)	12.0 (39.5)
SIGN PANEL AREA mm (in.)	381 x 1175 (15 x 46.25)	381 x 1175 (15 x 46.25)	381 x 1175 (15 x 46.25)	381 x 1175 (15 x 46.25)
INTERIOR DIMENSIONS				
CAB				
Headroom mm (in.)				
Front	1006 (39.6)	1006 (39.6)	1006 (39.6)	1006 (39.6)
Rear	973 (38.3)	973 (38.3)	973 (38.3)	973 (38.3)
Legroom mm (in.)				
Front	1077 (42.4)	1077 (42.4)	1077 (42.4)	1077 (42.4)
Rear	904 (35.6)	922 (36.3)	904 (35.6)	922 (36.3)
Shoulder Room mm (in.)				
Front	1466 (57.7)	1453 (57.2)	1466 (57.7)	1453 (57.2)
Rear	1412 (55.6)	1453 (57.2)	1412 (55.6)	1453 (57.2)
Hip Room mm (in.)				
Front	1321 (52.0)	1321 (52.0)	1321 (52.0)	1321 (52.0)
Rear	1029 (40.5)	1303 (51.3)	1029 (40.5)	1303 (51.3)
Cargo Volume w/Rear Seat litres (cu ft)[1]	855 (30.2)	1056 (37.3)	855 (30.2)	1056 (37.3)
Cargo Volume w/ Rear Seat Folded litres (cu ft)	1894 (66.9)	2098 (74.1)	1894 (66.9)	2098 (74.1)
Load Floor Length w/Rear Seat mm (in.)				
@ Beltline	724 (28.5)	892 (35.1)	724 (28.5)	892 (35.1)
@ Floor	894 (35.2)	1029 (40.5)	894 (35.2)	1029 (40.5)
Load Floor Length w/Rear Seat Folded mm (in.)				
@ Beltline	1628 (64.1)	1793 (70.6)	1621 (63.8)	1793 (70.6)
@ Floor	1730 (68.1)	1895 (74.6)	1730 (68.1)	1895 (74.6)
Maximum Cargo Width @ Floor mm (in.)	1349 (53.1)	1349 (53.1)	1349 (53.1)	1349 (53.1)
Between Wheelhousings mm (in.)	968 (38.1)	968 (38.1)	968 (38.1)	968 (38.1)
Cargo Area Height mm (in.)	876 (34.5)	879 (34.6)	876 (34.5)	879 (34.6)

[1] Measured floor to roof.

Specifications Subject to Change Without Notice.
GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION